

The Micro comes 70% assembled and uses standard bicycle technology.

The following Micro Sidewalker final assembly Instructions are intended for Do It Yourself customers.

VERY IMPORTANT: If you are new to final bike assembly and you are unable to get help from a knowledgeable friend we recommend that you take it to a local bicycle shop for final assembly and safety inspection.

Even if you assemble it on your own, we encourage you to take it for a safety inspection by a bicycle mechanic.

(It takes typically 15 to 20 minutes work for a bike mechanic.)

Instructions:

You will need: 5/8" wrench , #5 Allen key, wire cutter.

Open the box and ensure you have the following:

- 1) Frame and folding mechanism
- 2) Two wheel sets, each with 2 nuts and safety washers.
- 3) handlebar/stem with brake levers installed
- 4) short (front) brake cable and sheathing
- 5) long (rear) brake cable and sheathing
- 6) small box or plastic bag

Inside the small box or plastic bag:

- 1) reflector with nut and washer
- 2) two cable ends

Final assembly:

1) Wheels: Insert hub and position front wheel into the front fork and tighten. Repeat for rear wheel.

2) Handlebar/stem assembly:

Slide the handlebar/stem into the down-tube to desired height and lock with locking arm.

front and rear brake assembly

*

3) Rear brake

At the handle bar :

Release slightly locking nut at rear brake with #5 Allen key.

Insert the long cable-end into the right handle bar brake lever,

ensure that the cable sheathing runs through the 90" rounded elbow cable guide ("noodle"),
adjust and tighten locking nut. Test rear brake lever for proper tension and correct action.

4) Repeat procedure (3) for front brake. Test front brake lever for proper tension and correct action.

5) Cut excess cable with wire cutter. Attach and press cable end.

6) Install reflector with nut and washer on front bracket.

7) pump 45 psi into the wheels, check the brakes.

Note: If any part of the above instructions is unclear please take the Micro Sidewalker to a local bike shop for final assembly and safety test.

happy scootering!



V- brake assembly